





6.16	58.7	3820
Kgm	km/h	rpm

6.47	59.5	3873
------	------	------

ratio 6.666:1

tcf 1.200

delta 0.31



42.81	87.9	5726
PS	km/h	rpm

47.75	88.3	5751
-------	------	------

ratio 6.666:1

tcf 1.200

delta 4.94


ハイゼットトラックS510Pのレギュラーガソリン仕様

Folder: S510P-NA-8568

Run ID: 12k-NML-N4IDTPIS

Date: 2022-06-20 13:28:15

Dynapack
CHASSIS DYNAMOMETERS



0.1557

58.7

3822

ratio 6.666:1

Accel (g's)

Km/h

rpm

0.1557

59.5

3873

delta 0.0078


Graph Type: Acceleration



Folder: S510P-NA-8568

Run ID: 12k-NML-N4IDTPIS

Date: 2022-06-20 13:28:15



6.16	58.5	3812
Kgm	km/h	rpm
6.86	60.5	3938


ratio	6.666:1
tcf	1.200
delta	0.70

ハイゼットトラックS510Pのハイオクガソリン仕様

Folder: S510P-NA-8568

Run ID: 12k-NML-H6WTIDTPIS


Date: 2022-06-20 15:22:03



42.80	88.2	5745
PS	km/h	rpm
50.07	88.7	5775

ratio	6.666:1
tcf	1.200
delta	7.27

Dynapack
CHASSIS DYNAMOMETERS



0.1557

58.6

3819

ratio 6.666:1

Accel (g's)

Km/h

rpm

0.1557

60.5

3938

delta 0.0175

Graph Type: Acceleration



Folder: S510P-NA-8568

Run ID: 12k-NML-H6WTIDTPIS

Date: 2022-06-20 15:22:03